Falcon Mold care products















Company Brief



- Passed SGS audit.
- Passed ISO9001& ISO14001.
- Cleaning agent is the only product on the market that can pass ODS alternative technology certificated product, the only product that can pass CNAL Green product inspection in the market.
- All spray products conform with ROHS, REACH, Passed PAHS, Non Halogen test.
- Complete environmental certification for the brand.

Company Brief



CUSTOMERS



CRCC



NGC GROUP



HISENSE



FAW TOYOTA



FAW VOLKSWAGEN



DONGFENG-NISSAN



FOXCONN



DELTA



好空调·格力造

GREE



JABIL CIRCUIT



GOOD BABY



TONGDA GROUP

0-1



Mould Release Agent (oily)

- Oily. Good demolding effect
- More demolding times
- Non Toxic, Non corrosion
- Will not damage the surface of plastic
- Environmental protection

Volume: 500ml/can

Packing: 24pcs/carton









Mould Release Agent (Neutral)

- Neutral. Good demolding effect
- More demolding times
- Non Toxic, Non corrosion
- Will not damage the surface of plastic
- Environmental protection

Volume: 500ml/can

Packing: 24pcs/carton









Mould Release Agent (Dry)

- Dry. Good demolding effect
- More demolding times
- Does not affect subsequent painting
- Non Toxic, Non corrosion
- Environmental protection

Volume: 500ml/can

Packing: 24pcs/carton







YD100



White Anti-rust Agent

- Anti-rust Lasting
- Good ability for anti-rust
 & anti corrosion
- Environmental protection

Volume: 500ml/can

Packing: 24pcs/carton







YD200



Transparent Anti-rust Agent

- Anti-rust Lasting
- Good ability for anti-rust
 & anti corrosion
- Environmental protection

Volume: 500ml/can

Packing: 24pcs/carton







YD300



Green Anti-rust Agent

- Anti-rust Lasting
- Good ability for anti-rust
 & anti corrosion
- Environmental protection

Volume: 500ml/can

Packing: 24pcs/carton







OK202



High Temp Thimble Lubricant spray

- Excellent Lubricity
- Superior Anti attrition function
- Excellent high temperature resistance
- Excellent Anti rust & Corrosion
- Environmental protection

It is widely used for the lubrication of various injection molding machine molds and machining machinery guide rails, thimble lubrication, tool molds, thimble rows, chains, gears, etc.

It can also be used for lubricating hardware mechanical guide rails.





Volume: 500ml/can

Packing: 24pcs/carton



Mold Cleaner

- Non Toxic, Non corrosion
- Environmental protection
- Green Product
- Strong cleaning ability
- Shorten anti-rust protection
- Will not damage the surface of metals

Volume: 500ml/bottle
Packing: 24pcs/carton









Multi-purpose Anti-rust Lubricant

- Soften and Remove normal rust
- Eliminate unusual noise
- Good ability for anti rust & corrosion
- Suitable for 6 month to 1 year anti-rust
- Environmental protection

3 in 1

Cleaning + Anti-rust + Lubricant

Volume: 550ml/can

Packing: 24pcs/carton









