


## Dial Calipers

303 / 304 Series




303-06-1

### FEATURES

- Graduation:  
Inch: .001"  
Metric: 0.01mm or 0.02mm
- Stainless steel construction with all measuring surfaces surface-hardened
- Preloaded dual pinions eliminate backlash and provide better repeatability
- Thumb wheel included

### Aluminum models

- Sturdy Aluminum ergonomic diecast housing can be used without damage in the harshest of manufacturing environments, including situations with hot steel chips
- The dual pinion mechanism offers extra smooth operation



304-06-6

### STANDARD ACCESSORIES


- Warranty card, Instruction manual, Calibration certificate

### SPECIFICATIONS

Inch		
Range	Accuracy	Code No.
<b>Standard models</b>		
0-6"	± .001"	<b>303-06-1</b>
0-8"	± .0015"	<b>303-08-1</b>
0-12"	± .0015"	<b>303-12-1</b>
<b>Aluminum dial housing models</b>		
0-6"	± .001"	<b>304-06-5</b>
0-8"	± .0015"	<b>304-08-5</b>
0-12"	± .0015"	<b>304-12-5</b>

Metric		Grad.: 0.01mm	Grad.: 0.02mm
Range	Accuracy	Code No.	Code No.
<b>Standard models</b>			
0-150mm	± 0.03mm	<b>P303-06-0</b>	<b>303-06-2</b>
0-200mm	± 0.03mm	<b>P303-08-0</b>	<b>303-08-2</b>
0-300mm	± 0.04mm	<b>P303-12-0</b>	<b>303-12-2</b>
<b>Aluminum dial housing models</b>			
0-150mm	± 0.03mm	-	<b>304-06-6</b>
0-200mm	± 0.03mm	-	<b>304-08-6</b>
0-300mm	± 0.04mm	-	<b>304-12-6</b>

### Dimension



Range	L	a	b	c	d
Inch/Metric	mm	mm	mm	mm	mm
0-6"/0-150mm	234	40	21	16	16
0-8"/0-200mm	290	50	23.5	16	17
0-12"/0-300mm	393	64	24.5	20	17